

Equipment length fixing tool for solar container electrical equipment

```
.see_more .carousel_seemore
img.seeAll_chev.rms_img { opacity:0;padding-bottom:var(--smtc-gap-between-content-xx-small) }#b_content
.pa_carousel_mlo .see_more .carousel_seemore
a.b_moreLink { position:relative;text-decoration-color:var(--bing-smtc-foreground-content-brand-rest) }#b_content
ent .pa_carousel_mlo .see_more .carousel_seemore
a.b_moreLink::before { content:"";position:absolute;width:48px;height:48px;top:var(--smtc-gap-between-content-medium);left:50%;-webkit-transform:translate(-50%,0);-moz-transform:translate(-50%,0);-ms-transform:translate(-50%,0);-o-transform:translate(-50%,0);transform:translate(-50%,0);background-color:var(--bing-smtc-background-card-on-primary-alt-pressed);border-radius:10px;opacity:0;-webkit-transition:opacity .1s ease;-moz-transition:opacity .1s ease;-ms-transition:opacity .1s ease;-o-transition:opacity .1s ease;transition:opacity .1s ease}#b_content .pa_carousel_mlo .see_more .carousel_seemore
a.b_moreLink:hover::before,#b_content .pa_carousel_mlo .see_more .carousel_seemore
a.b_moreLink:focus::before,#b_content .pa_carousel_mlo .see_more .carousel_seemore
a.b_moreLink:active::before { opacity:1 }#b_content .pa_carousel_mlo .see_more .carousel_seemore
a.b_moreLink::after { content:"";position:absolute;width:13px;height:13px;bottom:var(--smtc-padding-content-xx-large);left:50%;border-style:solid;border-width:3px 3px 0 0;border-color:var(--bing-smtc-foreground-content-brand-rest);-webkit-transform:translate(-75%,-50%) rotate(45deg);-moz-transform:translate(-75%,-50%) rotate(45deg);-ms-transform:translate(-75%,-50%) rotate(45deg);-o-transform:translate(-75%,-50%) rotate(45deg);transform:translate(-75%,-50%) rotate(45deg);border-radius:2px}#b_content .pa_carousel_mlo .see_more .carousel_seemore a.b_moreLink
.seeAll_txt { color:var(--bing-smtc-foreground-content-brand-rest);font:var(--bing-smtc-text-global-body3-strong) } .pa_carousel .b_slideexp { margin-bottom:0 } .pa_carousel .b_slideexp
.btn { z-index:8 } .pa_carousel_mlo { padding-bottom:var(--smtc-gap-between-content-xx-small) } .narrpole
.pa_carousel_ml { padding-right:20px } .pa_carousel_mlo.expanded
.pa_carousel_ml { padding-right:var(--smtc-gap-between-content-xx-large) } .pa_carousel_ml
.slide { border-collapse:separate } .pa_carousel_ml .slide.anim { visibility:hidden;animation:slideInFromLeft .05s cubic-bezier(.3,.5,.1,1) .3s 1 normal forwards } @-webkit-keyframes
slideInFromLeft { 0% { visibility:visible;transform:translateX(100%) } 100% { visibility:visible;transform:translateX(0) } } @keyframes
slideInFromLeft { 0% { visibility:visible;transform:translateX(100%) } 100% { visibility:visible;transform:translateX(0) } } .pa_carousel_ml .slide:focus-visible { text-decoration:underline } li
.pa_mlo { padding-bottom:0 } #b_content ol#b_results li.b_ad,#b_content ol#b_topw.b_results_eml
li.b_ad { border-bottom:0 } .b_ad .pa_carousel_ml
.b_adPATitleBlock { padding-left:0 } .b_adPATitle { text-overflow:ellipsis;overflow:hidden;white-space:nowrap; padding-right:var(--smtc-gap-between-content-medium);height:26px;font:var(--bing-smtc-text-global-subtitle 1-strong);color:var(--smtc-foreground-content-neutral-primary)!important;padding-bottom:var(--smtc-padding-ctrl-sm-text-bottom) } .b_adPATitleBlock { padding-bottom:var(--smtc-gap-between-content-small) } .b_adPATitleBlock
.b_floatR { margin-left:var(--mai-smtc-padding-card-default) } .b_adPATitle
a:focus-visible { margin-left:var(--smtc-padding-ctrl-text-side);text-decoration:underline } .b_adPATitle
a { font:var(--bing-smtc-text-global-subtitle 1-strong)!important;color:var(--smtc-foreground-content-neutral-pri
```

Equipment length fixing tool for solar container electrical equipment

```

mary)!important;vertical-align:text-bottom}.pa_carousel_ml
.b_adPATitleBlock{padding-left:var(--mai-smtc-padding-card-default)}.b_adPATitle_chevron{display:inline-
flex;padding:var(--smtc-gap-inside-ctrl-to-secondary-icon)}.b_adPATitleBlock
.b_adSlug{margin-right:var(--bing-ads-smtc-url-icon-padding-left);padding:0
var(--smtc-padding-ctrl-text-side);border:1px
var(--bing-ads-smtc-ad-slug-stroke);font:var(--bing-smtc-text-global-caption2);color:var(--bing-ads-smtc-desk
top-foreground-ad-slug-default);border-radius:var(--bing-ads-smtc-ad-slug-corner)}.sb_adTA
.b_adSlug{font:var(--bing-smtc-text-global-caption2);line-height:var(--bing-ads-smtc-ad-slug-line-height);bor
der-radius:var(--bing-ads-smtc-ad-slug-corner);display:inline-block}.b_adSlug{font-size:11px;font-weight:nor
mal;line-height:11px;border-radius:6px;display:inline-block}.b_adSlug{color:var(--bing-ads-smtc-desktop-for
eground-ad-slug-default);border:1px
var(--bing-ads-smtc-ad-slug-stroke);vertical-align:middle}.sb_adTA
.b_adSlug{color:var(--bing-ads-smtc-desktop-foreground-ad-slug-default);border:1px
var(--bing-ads-smtc-ad-slug-stroke)}#b_context>li.b_ad
.b_adSlug>a,#b_rrat_cont>li.b_ad
.b_adSlug>a{color:var(--bing-ads-smtc-desktop-foreground-ad-slug-default)}.b_adSlug{padding:0
var(--smtc-gap-between-content-xxx-small)
var(--smtc-gap-between-content-xxx-small)}.b_adSlug{margin-right:var(--smtc-gap-between-content-xx-smal
l)}.sb_adTA
.b_adSlug{margin-right:var(--smtc-padding-ctrl-text-side)}z{a:1}z{a:1}z{a:1}.b_adChoice{position:relative;
width:12px;height:12px;text-indent:0;overflow:hidden;direction:ltr;transform:none;float:right}.b_adChoiceInl
ine{display:inline-block}.b_adChoice::after{transform-origin:-320px
0;transform:scale(.5);position:relative;display:inline-block}.b_adSlugRow
.b_adChoice{float:none;vertical-align:-1px;display:inline-block}.pa_sbo+a
.b_adChoice{margin-top:8px}.b_adPATitleBlock
bubble_lite
bubble_item,.b_adSlugRow
bubble_lite
bubble_item,.b_spa_adblock
bubble_lite
bubble_item,.b_magazine
bubble_lite
bubble_item,.ra_car_container
bubble_lite
bubble_item,.b_adinfo{display:inline-block!important}.b_adinfo{cursor:pointer;vertical-align:middle;line-hei
ght:0}.b_adChoice::after{content:url(/rp/kAwiv9gc4HPfHSU3xUQp2Xqm5wA.png)}.emb_ppa
.listad{position:relative}.emb_ppa
.b_adinfo
bubble_item{height:12px}.emb_ppa
lcard
.lc_content
.b_factrow
.b_slgw{position:absolute;top:6px;left:8px;display:flex;align-items:center;border:1px
#ecec;#ecec;border-radius:6px;background-color:#fff;justify-content:center;height:20px;width:71px}div.b_adSlug
, lcard
.lc_content
.b_factrow
div.b_embPPASlug.b_adSlug,#IMapContainer
.b_aswta
.vertcard
.lc_content
div.b_factrow
div.b_adSlug,div.gs_VA_slgw
.b_adSlug.b_opttxt.b_divdef,.genserp_PA_container
.genserp_PA_title
div.genserp_PA_adslug
span.genserp_adSlug,gs_embedded_label_container,.embedded_msan_ad_slug{border:0;margin-right:0}#b_c
ontent
.pa_carousel_mlo
.pa_item.pa_vCard
.pa_title,#b_content
.pa_carousel_mlo
.pa_item.pa_vCard
.pa_caption,#b_content
.pa_carousel_mlo
.pa_item.pa_vCard
.b_finalText,#b_content
.pa_carousel
.pa_item.pa_vCard
.pa_title,#b_content
.pa_carousel
.pa_item.pa_vCard
.pa_caption,#b_content
.pa_carousel
.pa_item.pa_vCard
.b_finalText,#b_content
.pa_grid
.pa_item.pa_vCard
.pa_title,#b_content
.pa_grid

```

Equipment length fixing tool for solar container electrical equipment

```
.pa_item.pa_vCard .pa_caption,#b_context .pa_grid .pa_item.pa_vCard .b_finalText{padding:0
var(--smtc-padding-ctrl-horizontal-default)}#b_content .pa_carousel_mlo .pa_item.pa_vCard .cico,#b_content
.pa_carousel .pa_item.pa_vCard .cico,#b_context .pa_grid .pa_item.pa_vCard
.cico{margin-bottom:var(--smtc-gap-between-content-small)}#b_content .pa_carousel_mlo
.pa_item.pa_vCard .pa_title,#b_content .pa_carousel .pa_item.pa_vCard .pa_title,#b_context .pa_grid
.pa_item.pa_vCard
.pa_title{font:var(--bing-smtc-text-global-body3);color:var(--smtc-ctrl-link-foreground-brand-rest)}#b_conte
nt .pa_carousel_mlo .pa_item.pa_vCard .pa_caption,#b_content .pa_carousel .pa_item.pa_vCard
.pa_caption,#b_context .pa_grid .pa_item.pa_vCard
.pa_caption{margin-top:var(--smtc-gap-between-content-x-small);padding-bottom:var(--smtc-gap-between-co
ntent-x-small);font:var(--bing-smtc-text-global-caption1)!important}#b_content .pa_carousel_mlo
.pa_item.pa_vCard .pa_caption .pa_price,#b_content .pa_carousel .pa_item.pa_vCard .pa_caption
.pa_price,#b_context .pa_grid .pa_item.pa_vCard .pa_caption
.pa_price{margin-bottom:var(--smtc-gap-between-content-xx-small)}#b_content .pa_carousel_mlo
.pa_item.pa_vCard .pa_caption .pa_price .prc_clr_grn,#b_content .pa_carousel .pa_item.pa_vCard .pa_caption
.pa_price .prc_clr_grn,#b_context .pa_grid .pa_item.pa_vCard .pa_caption .pa_price
.prc_clr_grn{color:var(--smtc-status-success-tint-foreground)}#b_content .pa_carousel_mlo
.pa_item.pa_vCard .pa_caption .pa_price strong,#b_content .pa_carousel .pa_item.pa_vCard .pa_caption
.pa_price strong,#b_context .pa_grid .pa_item.pa_vCard .pa_caption .pa_price
strong{color:var(--smtc-foreground-content-neutral-primary)}#b_content .pa_carousel_mlo
.pa_item.pa_vCard .pa_caption .pa_price .original_price,#b_content .pa_carousel .pa_item.pa_vCard
.pa_caption .pa_price .original_price,#b_context .pa_grid .pa_item.pa_vCard .pa_caption .pa_price
.original_price{font:var(--bing-smtc-text-global-caption1);padding-left:var(--smtc-gap-between-content-x-sma
ll)}#b_content .pa_carousel_mlo .pa_item.pa_vCard .pa_caption .pa_installmentDesc,#b_content
.pa_carousel_mlo .pa_item.pa_vCard .pa_caption .pa_unitprice,#b_content .pa_carousel_mlo
.pa_item.pa_vCard .pa_caption .vertical_converted_price,#b_content .pa_carousel_mlo .pa_item.pa_vCard
.pa_caption .pa_shippingcost,#b_content .pa_carousel .pa_item.pa_vCard .pa_caption
.pa_installmentDesc,#b_content .pa_carousel .pa_item.pa_vCard .pa_caption .pa_unitprice,#b_content
.pa_carousel .pa_item.pa_vCard .pa_caption .vertical_converted_price,#b_content .pa_carousel
.pa_item.pa_vCard .pa_caption .pa_shippingcost,#b_context .pa_grid .pa_item.pa_vCard .pa_caption
.pa_installmentDesc,#b_context .pa_grid .pa_item.pa_vCard .pa_caption .pa_unitprice,#b_context .pa_grid
.pa_item.pa_vCard .pa_caption .vertical_converted_price,#b_context .pa_grid .pa_item.pa_vCard .pa_caption
.pa_shippingcost{font:var(--bing-smtc-text-global-caption1);margin-bottom:var(--smtc-gap-between-content-
xx-small);color:var(--bing-smtc-foreground-content-neutral-secondary-alt)}#b_content .pa_carousel_mlo
.pa_item.pa_vCard .pa_caption .b_attribution,#b_content .pa_carousel .pa_item.pa_vCard .pa_caption
.b_attribution,#b_context .pa_grid .pa_item.pa_vCard .pa_caption
.b_attribution{margin-bottom:var(--smtc-gap-between-content-xx-small);color:var(--bing-smtc-foreground-co
ntent-neutral-secondary-alt);border-bottom:0;font:var(--bing-smtc-text-global-caption1)}#b_content
.pa_carousel_mlo .pa_item.pa_vCard .pa_caption .b_attribution cite,#b_content .pa_carousel
.pa_item.pa_vCard .pa_caption .b_attribution cite,#b_context .pa_grid .pa_item.pa_vCard .pa_caption
```

Equipment length fixing tool for solar container electrical equipment

.b_attribution

```

cite{font:var(--bing-smtc-text-global-caption1);color:var(--bing-smtc-foreground-content-neutral-secondary-alt);opacity:unset}#b_content .pa_carousel_mlo .pa_item.pa_vCard .pa_caption .b_secondaryText,#b_content .pa_carousel .pa_item.pa_vCard .pa_caption .b_secondaryText,#b_context .pa_grid .pa_item.pa_vCard .pa_caption
.b_secondaryText{font:var(--bing-smtc-text-global-caption1);color:var(--bing-smtc-foreground-content-neutral-secondary-alt)}#b_content .pa_carousel_mlo .pa_item.pa_vCard .pa_caption .b_secondaryText .pa_rebateText,#b_content .pa_carousel .pa_item.pa_vCard .pa_caption .b_secondaryText .pa_rebateText,#b_context .pa_grid .pa_item.pa_vCard .pa_caption .b_secondaryText .pa_rebateText{font:var(--bing-smtc-text-global-caption1);color:var(--bing-smtc-foreground-content-neutral-secondary-alt)}#b_content .pa_carousel_mlo .pa_item.pa_vCard .pa_caption .b_secondaryText .pa_promo a,#b_content .pa_carousel .pa_item.pa_vCard .pa_caption .b_secondaryText .pa_promo a,#b_context .pa_grid .pa_item.pa_vCard .pa_caption .b_secondaryText .pa_promo a{color:var(--smtc-ctrl-link-foreground-brand-rest)}#b_content .pa_carousel_mlo .pa_item.pa_vCard .pa_caption .b_secondaryText .pa_rating a,#b_content .pa_carousel .pa_item.pa_vCard .pa_caption .b_secondaryText .pa_rating a,#b_context .pa_grid .pa_item.pa_vCard .pa_caption .b_secondaryText .pa_rating a{color:var(--bing-smtc-foreground-content-neutral-secondary-alt)}#b_content .pa_carousel_mlo .b_overlay .btn .cr{height:24px;width:20px;padding:var(--smtc-padding-ctrl-lg-text-top)var(--smtc-padding-ctrl-sm-horizontal-default);background-color:var(--bing-smtc-foreground-ctrl-on-image-switchable-rest);border-radius:var(--smtc-corner-ctrl-lg-rest);box-shadow:var(--acf-elevation-3)}#b_content .pa_carousel_mlo .b_overlay .btn .cr>div{width:8px;height:8px;background-color:transparent;border-color:var(--smtc-foreground-content-neutral-primary);border-style:solid;border-width:2px 2px 0 0;transform:rotate(45deg);border-radius:0;top:var(--smtc-padding-ctrl-text-top);left:var(--smtc-padding-ctrl-sm-text-top);position:relative;box-shadow:none;margin:0}#b_content .pa_carousel_mlo .b_overlay .btn .cr>div::after{content:"";display:none}#b_content .pa_carousel_mlo .b_overlay .btn.next{margin-right:6px}#b_content .pa_carousel_mlo .b_slideexp .b_hoverFading{background:linear-gradient(90deg,var(--bing-smtc-background-ctrl-fade-on-primary-stop-0)0%,var(--smtc-background-card-on-primary-default-rest)60%);right:0}#b_content .pa_carousel_mlo .b_slidesContainer{width:100%}html[dir="rtl"] #b_content .pa_carousel_mlo .b_overlay .btn .cr>div{transform:rotate(135deg);left:calc(-1*var(--smtc-padding-ctrl-sm-text-top))}html[dir="rtl"] #b_content .pa_carousel_mlo .b_slideexp .b_hoverFading{background:linear-gradient(270deg,var(--bing-smtc-background-ctrl-fade-on-primary-stop-0)0%,var(--smtc-background-card-on-primary-default-rest)60%)}#b_content .pa_carousel_mlo .slide,#b_content .pa_carousel .slide,#b_context .pa_grid .pa_item{border-radius:var(--smtc-corner-card-rest)!important}#b_pole .pa_carousel_mlo{margin-right:0}.pa_item.pa_vCard{word-wrap:break-word;line-height:20px;overflow:hidden}.pa_item.pa_vCard p strong,.pa_item.pa_vCard .pa_price strong{color:#111}.pa_item.pa_vCard .pa_deal{text-decoration:line-through}#b_content .pa_item.pa_vCard .b_attribution{font-size:14px;padding-bottom:0;line-height:20px}#b_context .pa_item.pa_vCard

```



Equipment length fixing tool for solar container electrical equipment

```
p,#b_rrat_cont .pa_item.pa_vCard p{line-height:20px}#b_content .pa_item.pa_vCard
.pa_title{line-height:20px;overflow:hidden}.pa_item.pa_vCard
.b_footnote{line-height:17px;padding-bottom:0}.pa_item.pa_vCard
.pa_caption{padding-bottom:8px}.pa_item.pa_vCard .pa_caption,.pa_item.pa_vCard
.pa_title{padding-left:4px;padding-right:4px}.pa_item.pa_vCard
.b_finalText{position:absolute;width:100%;box-sizing:border-box;left:0;padding:0 4px 0
4px;bottom:8px}.pa_item.pa_vCard
.cico{display:block;padding-bottom:0;margin-bottom:8px;margin-left:auto;margin-right:auto;border-radius:0}
.pa_item.pa_vCard .pa_img{position:relative}.pa_item.pa_vCard .pa_price:hover,.pa_item.pa_vCard
.b_attribution:hover,.pa_item.pa_vCard .b_footnote:hover{cursor:pointer}.pa_carousel .slide{box-shadow:0 0
0 0 1px rgba(0,0,0,.1)!important}.pa_carousel .slide.see_more{box-shadow:0 0 0 0
rgba(0,0,0,0)!important}.pa_caption .pa_price:hover strong,.pa_hover .pa_hover_content .pa_price:hover
strong{text-decoration:underline;text-decoration-color:#111}.pa_caption .b_attribution:hover,.pa_hover
.pa_hover_content
.b_attribution:hover{text-decoration:underline}.pa_caption>.b_secondaryText:hover,.pa_hover
.pa_hover_content>.b_secondaryText:hover{color:#444}.b_ads1line{white-space:nowrap;overflow:hidden;te
xt-overflow:ellipsis;display:block}.pa_item .b_attribution cite,#b_context .pa_item .b_attribution
cite,.pa_hover .b_attribution cite,.pa_item .b_footnote .pa_url cite,#b_rrat_cont .pa_item .b_attribution
cite{color:#111;opacity:.8}#bpage.b_drk .pa_item .b_footnote .pa_url
cite{color:#d2d0ce}.pa_item.pa_vCard{cursor:pointer}@supports(-webkit-line-clamp:2){.b_adsTrunTx{displ
ay:-webkit-box;overflow:hidden;-webkit-box-orient:vertical;white-space:normal;visibility:visible}.b_ellipsis{
display:none}.b_adsTrunTx
.b_hiddenTx{display:inline}}.b_hiddenTx{display:none}.pa_item.pa_vCard,.pa_item.pa_hCard{position:relat
ive}.pa_hover{z-index:4}.pa_carousel .b_overlay .btn{z-index:5!important}.pa_item.pa_vCard
.pa_newtab_icon{display:none}.pa_item.pa_vCard .pa_newtab_icon,.pa_item.pa_hCard:hover
.pa_newtab_icon,.pa_hover
.pa_newtab_icon{position:absolute;background-color:rgba(0,0,0,.35);background-size:10px
10px;background-position:4px
4px;background-repeat:no-repeat;border-radius:var(--smtc-corner-circular);height:18px;width:18px;z-index:1
}.pa_item.pa_vCard .pa_newtab_icon,.pa_hover
.pa_newtab_icon{right:4px;top:4px}.pa_item.pa_hCard:hover
.pa_newtab_icon{left:110px;top:8px}.pa_item.pa_vCard .pa_newtab_icon,.pa_item.pa_hCard:hover
.pa_newtab_icon,.pa_hover
.pa_newtab_icon{background-image:url(
AAAUCAYAAACNiR0NAAAAA0kIEQVQ4EWNngGOyAkVIH/v//3xBoBg+l5sD1Aw08DcRwAJcglwE0iRu
I58FMZAQyTICGFZNoYBcjI+N5kB6g/kIAKg2I24G4gQVISANxOBAvBWJiwDEshgUBNV4HYhWQDf5
A/JsYk5DVgFwGxD+A2AtZnCwDgYaUYjUMZDJQgmQXAvUIA7EjVD8nkO0McyUTjEEKDQzDt0C8H
6pnPpC2hekny0CYZiitjMynhoHI5jEMfgNBCRsEQDnGH8IkRRRA1gEy8D8Ur0GWIJH9I0T1w0k5AETBd
SUE2utkAAAAEIFTkSuQmCC)}.pa_hover{background-color:var(--smtc-background-web-page-primary);b
ox-shadow:none;position:absolute;opacity:0;visibility:hidden;word-wrap:break-word;cursor:pointer;overflow:
```

Equipment length fixing tool for solar container electrical equipment

```
hidden;z-index:4;pointer-events:none}.pa_hover
.pa_hover_content{padding-bottom:var(--smtc-gap-between-content-x-small)}.pa_hover
.pa_hover_title,.pa_hover .pa_price,.pa_hover .b_attribution,.pa_hover .b_secondaryText,.pa_hover
.pa_additionTx,.pa_hover>div>.b_ads1line,.pa_hover .b_footnote,.pa_hover
.pa_hover_content>.pa_locInv{padding-left:var(--smtc-padding-ctrl-horizontal-default);padding-right:var(--s
mtc-padding-ctrl-horizontal-default)}.pa_hover .pa_hover_img{position:relative}.pa_hover .pa_hover_img
img{display:block;margin-left:auto;margin-right:auto}.pa_hover
.pa_hover_title{font:var(--bing-smtc-text-global-body3)!important;color:var(--smtc-ctrl-link-foreground-bran
d-rest);margin-bottom:var(--smtc-gap-between-content-x-small)}.pa_hover
.pa_hover_title:hover{text-decoration:underline}.pa_hover
.pa_price{margin-bottom:var(--smtc-gap-between-content-xx-small)}.pa_hover .pa_price
.prc_clr_grn{color:var(--smtc-status-success-tint-foreground)}.pa_hover .pa_price
strong{color:var(--smtc-foreground-content-neutral-primary);font:var(--bing-smtc-text-global-caption1-strong
)}.pa_hover .pa_price
.original_price{font:var(--bing-smtc-text-global-caption1);padding-left:var(--smtc-gap-between-content-x-sma
ll)}.pa_hover .pa_installmentDesc,.pa_hover .pa_unitprice,.pa_hover .vertical_converted_price,.pa_hover
.pa_shippingcost{font:var(--bing-smtc-text-global-caption1);margin-bottom:var(--smtc-gap-between-content-
xx-small);color:var(--bing-smtc-foreground-content-neutral-secondary-alt);padding-bottom:0}.pa_hover
.b_attribution{margin-bottom:var(--smtc-gap-between-content-xx-small);color:var(--bing-smtc-foreground-co
ntent-neutral-secondary-alt);border-bottom:0;font:var(--bing-smtc-text-global-caption1)}.pa_hover
.b_attribution
cite{font:var(--bing-smtc-text-global-caption1);color:var(--bing-smtc-foreground-content-neutral-secondary-al
t);opacity:unset}.pa_hover .pa_bcSeparator{margin:var(--smtc-gap-between-content-xx-small)
0;border-top:1px solid #ecec}.pa_hover
.b_secondaryText{font:var(--bing-smtc-text-global-caption1);color:var(--bing-smtc-foreground-content-neutra
l-secondary-alt)}.pa_hover .b_secondaryText
.pa_rebateText{font:var(--bing-smtc-text-global-caption1);color:var(--bing-smtc-foreground-content-neutral-s
econdary-alt)}.pa_hover .b_secondaryText .pa_promo
a{color:var(--smtc-ctrl-link-foreground-brand-rest)}.pa_hover .b_secondaryText .pa_rating
a{color:var(--bing-smtc-foreground-content-neutral-secondary-alt)}.pa_hover .b_secondaryText
.b_colorBlend{color:var(--bing-smtc-foreground-content-neutral-secondary-alt)!important}.pa_hover
.pa_additionTx,.pa_hover
.pa_locInv{font:var(--bing-smtc-text-global-caption1);color:var(--bing-smtc-foreground-content-neutral-secon
dary-alt)}a.pa_hover_adLink:hover{text-decoration:none}.pa_hover:has(.pa_hover_content.pa_hcgp){border-
radius:var(--smtc-corner-card-rest)}.pa_hover.ad_scpah.pa_animation{background-color:var(--smtc-backgrou
nd-card-on-primary-default-hover);box-shadow:var(--acf-elevation-3);pointer-events:auto}.pa_item.pa_vCard
>a:hover{text-decoration:none}.pa_hover:not(:has(.b_pa_hov_indicator_c)) .pa_hover_img
img{margin-bottom:var(--smtc-gap-between-content-small)}.pa_hover.ad_scpah.pa_animation{transition:heig
ht var(--acf-animation-duration-default) var(--acf-animation-ease-default),background-color
var(--acf-animation-duration-default) var(--acf-animation-ease-default),box-shadow
```



Equipment length fixing tool for solar container electrical equipment

```

var(--acf-animation-duration-default)
var(--acf-animation-ease-default)}.pa_rating{white-space:nowrap;text-overflow:ellipsis;min-height:17px}#b_
results .pa_item .pa_ratingsmaller>span,#b_topw.b_results_eml .pa_item
.pa_ratingsmaller>span{transform:translateZ(0)}#b_results .pa_item .pa_ratingsmaller .sw_st,#b_results
.pa_item .pa_ratingsmaller .sw_sth,#b_results .pa_item .pa_ratingsmaller .sw_ste,#b_topw.b_results_eml
.pa_item .pa_ratingsmaller .sw_st,#b_topw.b_results_eml .pa_item .pa_ratingsmaller
.sw_sth,#b_topw.b_results_eml .pa_item .pa_ratingsmaller .sw_ste{transform:scale(calc(10/12));margin:-1px
-2px -1px -1px}.pa_hover .pa_rating
.rms_img{display:inline-block;margin-bottom:0;margin-left:0;margin-right:0}#b_content .b_ad
.b_secondaryText .b_colorBlend{color:#71777d}#b_results>.b_ad
.b_colorBlend,#b_topw.b_results_eml>.b_ad .b_colorBlend{color:#71777d}#b_results>.b_ad
.b_accentColor,#b_context>.b_ad .b_accentColor,#b_rrat_cont>.b_ad
.b_accentColor,#b_topw.b_results_eml>.b_ad .b_accentColor{color:#71777d}#b_context>.b_ad
.b_colorBlend,#b_rrat_cont>.b_ad .b_colorBlend{color:#71777d}#b_dynRail>.b_ad
.b_colorBlend{color:#71777d}.pa_hover .b_secondaryText .b_colorBlend{color:#71777d}#b_pole
.pa_carousel .b_secondaryText .b_colorBlend{color:#71777d}.b_ad .csrc,.pa_item .csrc{padding-right:0}.csrc
.sw_rtcOLOR{color:#d32f2f;font-weight:bold;font-family:"Segoe UI",Arial,Helvetica,Sans-Serif}.b_dark .csrc
.sw_rtcOLOR{color:#f66}.csrc .sw_rtright{padding-left:5px}.csrc .sw_rtleft{padding-right:5px}.csrc
.nobg{background-image:none}.csrc
.rms_st{padding-right:1px;vertical-align:inherit;max-height:14px;max-width:14px}.b_slideexp
.b_hoverFading{background:linear-gradient(90deg,rgba(255,255,255,.4) 0%,#fff
80%);position:absolute;top:0;right:-40px;width:40px;height:100%}.b_dark .b_slideexp
.b_hoverFading{background:linear-gradient(90deg,rgba(27,26,25,.4) 0%,#fff
80%)}.b_slideexp.hoverFading: hover .b_overlay>div:nth-child(3){width:calc(100%
+ 40px)}#slideexp2_DBB861 .slide { width: 140px; margin-right: 16px; }#slideexp2_DBB861c .b_slidebar
.slide { border-radius: 6px; }#slideexp2_DBB861 .slide:last-child { margin-right: 1px; }#slideexp2_DBB861c
{ margin: -4px; } #slideexp2_DBB861c .b_viewport { padding: 4px 1px 4px 1px; margin: 0 3px; }
#slideexp2_DBB861c .b_slidebar .slide { box-shadow: 0 0 0 1px rgba(0, 0, 0, 0.05); -webkit-box-shadow: 0 0
0 1px rgba(0, 0, 0, 0.05); } #slideexp2_DBB861c .b_slidebar .slide.see_more { box-shadow: 0 0 0 0px rgba(0,
0, 0, 0.00); -webkit-box-shadow: 0 0 0 0px rgba(0, 0, 0, 0.00); } #slideexp2_DBB861c .b_slidebar
.slide.see_more .carousel_seemore { border: 0px; }#slideexp2_DBB861c .b_slidebar .slide.see_more: hover {
box-shadow: 0 0 0 0px rgba(0, 0, 0, 0.00); -webkit-box-shadow: 0 0 0 0px rgba(0, 0, 0, 0.00); }????
Equipment Length Fixing Tool For Solar Container Electrical EquipmentFluke TLPV-UTOOL Solar ...PV
Connector Unlocking Tool, 5-Pack$17.11Fluke TLPV-UTOOL Solar PV Connector Unlocking Tool, 5-Pack

```

Engineered to last, photovoltaic systems are designed to be sustainable yet efficient. Regular inspections of photovoltaic systems and solar panels ensure they perform effectively, create the most ...

Electrician"s tool belts and bags allow for storing various electrical tools and equipment, safety tools, high-tech tools, and much more. Depending upon the tools" function, ...



Equipment length fixing tool for solar container electrical equipment

When the horizontal electric forklift is used to unload the goods, fork arms length must be ≥ 1800 mm. This arm length is required to lift the modules from the short side of the pallet (the height of the forklift ...

Sunnysmiler Solar Panel Cleaning Robot Solar Panel Cleaning Tools Equipment China Manufacturer, Find Details and Price about Solar Panel Cleaning Equipment Solar Panel Cleaning Brush from ...



Equipment length fixing tool for solar container electrical equipment

Web: <https://www.lpsolar.co.za>

